

Título Cómo aportar apoyo empírico en procesos y resultados en casos clínicos complejos con estrategias cognitivo – integrativas

Tipo de Producto Ponencia Resumen

Autores Scherb, Elena Diana

Código del Proyecto y Título del Proyecto

P14S04 - Estandarización de métodos para Estudios de Casos en Psicología en distintos ámbitos

Responsable del Proyecto

Scherb, Elena

Línea Psicología Clínica

Área Temática

Psicología

Fecha

Noviembre 2014

INSOD

Instituto de Ciencias Sociales y Disciplinas
Proyectuales

UADE 

Cómo aportar apoyo empírico en procesos y resultados en casos clínicos complejos con estrategias cognitivo - integrativas'
Jornadas Asociación Argentina de Terapia Cognitiva

Sistematización de caso clínico

- A partir de un estudio naturalístico de efectividad de estrategias terapéuticas derivadas del modelo integrativo de Héctor Fernández Álvarez en un grupo especial de pacientes; iniciado en 1998, se desarrolló una metodología de sistematización de caso que permite obtener evidencia empírica en grupos especiales de pacientes.

Distintos investigadores coinciden en que, más allá de los tratamientos empíricamente validados o con soporte empírico, existen situaciones complejas que se dan en los pacientes en la 'vida real ' que; dadas sus características particulares, quedan fuera de los estudios de eficacia y de efectividad.

- Barlow, H. (2004). Psychological Treatments. *American Psychologist* , 869 - 878.
- Barrett, P. &. (2003). *Handbook of interventions that work with children and adolescents*. West Sussex, England: Wiley .
- Beck, A., Steer, R., & Brown, G. (2006). *BDI II Inventario de Depresion de Beck*. Buenos Aires: Editora Argentina.
- Beutler, L. E., & Clarkin, J. F. (1990). *Systematic Treatment Selection: Toward targeted therapeutic interventions*. Philadelphia: Brunner/Mazel.
- Duncan, B., & Miller, H. & Hubble, M. (1997). *Psychotherapy with impossible cases: The efficient treatment of therapy veterans*. New York: W. W. Norton & Company.
- Fernández - Alvarez, H. (. (2011). *Paisajes de la psicoterapia - modelos, aplicaciones y procedimientos*. Buenos Aires: Polemos.
- Fernandez Alvarez, H. (1992). *Fundamentos de un Modelo Integrativo*. Buenos Aires: Paidos.
- Fernández-Álvarez, H., Fernando S. Garcia, F. S., & Scherb, E. (1998). The research program at AIGLE. *Journal of Clinical Psychology*, 54, 343-359.
- Goldfried, M. (2011). Building a two-way bridge between research and practice. *The Clinical Psychologist* , 1-3.

John Norcross, Larry Beutler, Ronald Levant. (2009). Evidence - Based Practices in mental Health. Washington: American Psychological Association.

Koerner, K. (2011). Dialectical Behavior Therapy: A practical guide. New York: Guilford.

Lambert, Michael. (2013). Bergin & Garfield's Handbook of Psychotherapy and Behavior Change. New Jersey: John Wiley & Sons.

Linehan, M. (1993). Cognitive behavioral treatment for personality disorders. New York: Guilford.

Norcross, J., Vandenbos, G., & Freedheim, D. (2010). History of Psychotherapy, continuity and change. Washington: American Psychological Association.

Perris, C. (1999). A conceptualization of personality-related disorders of interpersonal behaviour with implications for treatment. *Clinical Psychology & Psychotherapy* , 239–260.

Persons, J. B. (2008). The case formulation approach to cognitive-behavior therapy. New York, Guilford.

Roos, J., & Werbart, A. (2013). Therapist and relationship factors influencing dropout from individual psychotherapy: A literature review. *Psychotherapy Research* , 394-418.

Scherb, E. (2003). Investigación y Psicoterapia: Pacientes difíciles, un enfoque desde la intersubjetividad. [Psychotherapy research with difficult patients: An intersubjective approach.] *Subjetividad y Procesos Cognitivos*, 220-242.

Scherb, E. (2007a). Las psicoterapias en el tratamiento de pacientes con características diagnósticas que revisten severidad y complejidad: abordajes innovadores que permiten optimizar sus resultados (Tesis Doctoral) Universidad del Salvador, Buenos Aires, Argentina

Scherb, E. (2007b, June 22). Assessing improvement in patients with severe and complex diagnostic characteristics treated with the Cognitive Integrative Model: A naturalistic, longitudinal research project. Paper presented at the annual meeting of the International Society for Psychotherapy Research, Madison, WI.

Scherb, E. (2011) The relevance of metacognitive aspects in the psychotherapy process with difficult patients. Paper presented at the annual meeting of the International Society for Psychotherapy Research, Bern, Switzerland.

Scherb, E (2012, June 22). Following up nuclear schemas in difficult patients. Paper presented at the annual meeting of the International Society for Psychotherapy Research, Virginia Beach, VI.

Scherb, E. (2012). Following up nuclear schemas in difficult patients. Paper presented at the annual meeting of the International Society for Psychotherapy Research, Virginia Beach, VI.

Wachtel, P. (1997). *Psychoanalysis, behavior therapy and the relational world*. New York: City University of New York.

Multiple measure evaluation of results

Pre – existent Problems – **Problemas pre-existentes**

Inconsistent results of previous treatments – **Resultados inconsistentes en tratamientos previos**

Symptom level – **Nivel sintomatología**

Problem areas – **Areas Problema**

Level of life functioning – **Nivel funcionamiento de vida**


Monitoring the patient, including input from significant others - **Monitoreo del paciente, incluido otros significativos eventual**


Follow – up interviews – **Entrevistas seguimiento**

Relapse control – **Control de recaídas**

Continuous micro - assessment of dysfunctional interactional patterns – **Micro evaluación continua de patrones disfuncionales**





The background features several large, solid black circles of varying sizes. Some of these circles are connected to each other by thin, straight black lines, creating a network-like or molecular structure. The overall aesthetic is minimalist and modern.

La necesidad de contar con estudios de casos es un movimiento en pleno desarrollo dentro del área de investigación en Psicoterapia. Como ejemplo, se presenta el Special Interest Group en la Society for Psychotherapy Research, recientemente constituido con el objetivo de armar redes internacionales para el archivo online de casos sistematizados.

